



TITLE:

Berry Phases with/without Time Reversal Invariance(Topological Aspects of Solid State Physics)

AUTHOR(S):

Hatsugai, Yasuhiro

CITATION:

Hatsugai, Yasuhiro. Berry Phases with/without Time Reversal Invariance(Topological Aspects of Solid State Physics). 物性研究 2009, 91(6): 685-685

ISSUE DATE:

2009-03-20

URL:

<http://hdl.handle.net/2433/142901>

RIGHT:

DAY 4: 14:50 – 15:30

Disorder effects on 3-dimensional Z_2 spin Hall insulators / chiral metals

Ryuichi Shindou

Condensed Matter Theory Group, RIKEN

3-dimensional Z_2 quantum spin Hall insulator (QSHI), originally proposed by Fu, Kane and Mele, supports a spin-selective edge state, forming a Dirac-cone like energy dispersion at its 2-dimensional surface boundary. Having no “ $U(1)$ counterpart” into which this 3-d Z_2 QSHI can be adiabatically connected, this electronic phase is currently regarded as a new state of matter which goes beyond the quantum Hall paradigm (namely, c.f. 2-d Z_2 QSHI). In this note, we have studied the disorder effect (non-magnetic impurities) on this peculiar electronic phase, mainly focusing on the quantum critical point between the Z_2 QSHI and trivial band insulator;

$$\begin{aligned}\mathcal{H} &\equiv \int dr \psi^\dagger(r) \{ \mu \hat{1} + \hat{\gamma}_\mu (-i\partial_\mu) + m \hat{\gamma}_5 \} \psi(r), \\ \hat{\gamma}_1 &\equiv \sigma_y \otimes 1, \quad \hat{\gamma}_2 \equiv \sigma_z \otimes s_x, \quad \hat{\gamma}_3 \equiv \sigma_z \otimes s_y, \quad \hat{\gamma}_5 \equiv \sigma_x \otimes 1,\end{aligned}$$

where a finite mass term m induces the phase transition between the nontrivial insulator and trivial one. Taking into account various type of “on-site” impurities, we first derive the phase diagram spanned by the mass-term m , chemical potential μ and strength of the disorder within the self-consistent Born approximation. Thereby, we found a *finite* density of state even at the zero-energy *and* at the phase transition point, i.e. $m = \mu = 0$, if the strength of the disorder potential exceeds some critical value. To uncover whether this bundle of states registered at the zero-energy are extended or localized, we next derive the self-consistent equation for the current relaxation kernel (i.e. inverse of the diffusion constant), only to discuss about the *number* of mobility edges and the criticality around them within the mode-mode coupling theory framework.

DAY 4: 16:00 – 16:40

Berry Phases with/without Time Reversal Invariance

Yasuhiro Hatsugai

University of Tsukuba

Topological aspects of Berry phases with/without time reversal symmetry will be discussed. Their use in the condensed matter systems will be also demonstrated by characterizing quantum liquids without symmetry breaking.